PRODUCT OVERVIEW

FONTAINE FIFTH WHEEL EUROPE



FONTAINE®
FIFTH WHEEL EUROPE

FONTAINE
FIFTH WHEEL EUROPE

THE COMPANY

Fontaine Fifth Wheel is a leading global manufacturer of fifth wheel coupling systems.

Founded in the USA in 1940, the company established its European operations in England during the 1960s and continues to serve leading commercial vehicle manufacturers as a trusted OEM supplier.

With headquarters in Lowton, UK, and Düsseldorf, Germany, Fontaine provides expert support to customers across the whole of Europe.

WHAT MAKES FONTAINE FIFTH WHEELS SPECIAL

Preventing miscouplings with the TechLock® system

Designed to enhance coupling safety, Fontaine Fifth Wheel's patented TechLock® system features an integrated mechanical height sensor.
This innovative technology prevents the locking mechanism from engaging unless the kingpin is correctly positioned, reducing the risk of improper coupling and enhancing operational safety.

TYPE 150SP²

» Pressed Steel Fifth Wheel
» Medium duty 2" on-road
» 152 kN D-Value / 20 t Imposed Load (U)

TYPE 3000

» Cast Fifth Wheel
» Medium duty 2" on-road & limited off-road
» 150 kN D-Value / 20 t Imposed Load (U)

TYPE 3000LM

» Cast Fifth Wheel with low maintenance Wear Pads
» Medium duty 2" on-road & limited off-road
» 152 kN D-Value / 20 t Imposed Load (U)

TYPE 170CI

» Cast Fifth Wheel
» Heavy duty 2" on & off-road
» 170 kN D-Value / 25 t Imposed Load (U)

TYPE 230HD

» Cast Fifth Wheel
» Ultra heavy 2" on & off-road
» 230 kN D-Value / 28 t Imposed Load (U)

TYPE 260HD

» Cast Fifth Wheel
» Ultra heavy 3.5" on & off-road
» 260 kN D-Value / 36 t Imposed Load (U)

TYPE 3000FFH

Dual-Height Fifth Wheel

» Cast Fifth Wheel
» 130 kN D-Value / 18 t Imposed Load (U)
» Available in 3 Height Options
» Available in manual and pneumatic versions

TYPE 150SF / 170SF / 260SF

» Sliding Standard / Heavy Duty
» Suitable for 20 t / 152 kN, 25 t / 170 kN or 36 t / 260 kN
» Available in manual and pneumatic versions

OPTIONS

Direct Mount



Mounting Brackets available in: 138 / 148 / 161 / 185 / 210 / 230 / 257 mm

Mounting Plates in 12 / 16 / 22 / 40 mm Suitable for Heavy Duty

Standard Handle

Interlock Handle

Extended Handle

Green-Eye-Safety Indicator

Single Point Lubrication System

3 Sensor System

Air Release System



FONTAINE®
FIFTH WHEEL EUROPE

Sales UK

Fontaine Fifth Wheel Europe
Enterprise Way
Lowton WA3 2AG
United Kingdom
salesdesk@fontainefifthwheel.com

Sales Europe

Fontaine Fifth Wheel Europe GmbH
Ludolfstraße 3
40597 Düsseldorf
Germany
infoeu@fontainefifthwheel.com

www.fontainefifthwheel.com

A Marmon | Berkshire Hathaway Company

PBE26001 A 260626